

**To:** Juan\_Somoano@oxy.com[Juan\_Somoano@oxy.com]; Yeh, Alice[Yeh.Alice@epa.gov]  
**Cc:** Jay.Nickerson@dep.nj.gov[Jay.Nickerson@dep.nj.gov]  
**From:** Sivak, Michael  
**Sent:** Wed 3/8/2017 1:25:22 PM  
**Subject:** RE: DASS OU2 Revised RDWP and ERP

Juan,

Thanks! I'll make sure I let the CAG know this was submitted for review. See you Thursday.

Michael Sivak  
212.637.4310

-----Original Message-----

From: Juan\_Somoano@oxy.com [mailto:Juan\_Somoano@oxy.com]  
Sent: Tuesday, March 07, 2017 7:40 PM  
To: Yeh, Alice <Yeh.Alice@epa.gov>  
Cc: Jay.Nickerson@dep.nj.gov; Sivak, Michael <Sivak.Michael@epa.gov>  
Subject: DASS OU2 Revised RDWP and ERP

Alice,

Please see the attached revision to the combined Remedial Design Work Plan and supporting Emergency Response Plan, due COB tomorrow, March 8. We've also included a Response-to-Comment summary to assist with your review. As requested, I've cc'd Michael while you are out as notice of our submittal.

Thanks!

Juan

Juan P. Somoano, P.G., CAPM  
VP Operations  
Glenn Springs Holdings, Inc.  
5 Greenway Plaza, Suite 110  
Houston, TX 77046  
W: 713-215-7473  
C: 214-608-0168